

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69	(resin\$filled or (resin near2 filled)) with coupler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:35
S1	1	("5117472").PN.	US-PGPUB; USPAT	OR	OFF	2005/05/23 14:59
S2	5	((("20050100282") or ("6878925") or ("6792213") or ("6814501") or ("6626542"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:00
S3	0	("2005/0100282").URPN.	USPAT	OR	ON	2005/05/23 15:10
S4	0	(Takanahi and Tadashi).in. and (optical with star with coupler).ti.	USPAT	OR	ON	2005/05/23 15:10
S5	0	(Takanahi and Tadashi).in.	USPAT	OR	ON	2005/05/23 15:10
S6	0	(Takanashi and Tadashi).in. and (optical with star with coupler).ti.	USPAT	OR	ON	2005/05/23 15:11
S7	2	(Takanashi and Tadashi).in.	USPAT	OR	ON	2005/05/23 15:11
S8	5	JP and "2000-241655"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:21
S9	0	EP and "03025670"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:22
S10	4	(von with Moers).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:22
S11	167	(Moers).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:23
S12	0	(Moers).in. and (light with guide).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:23

S13	10	(Moers).in. and (light).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:23
S14	24	(star with coupl\$3) and (refractive with (index or indicies)) and (transparent with resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:58
S15	9	(star with coupl\$3) and (refractive with (index or indicies)) and (transparent with resin) and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:35
S16	247	(star with coupl\$3) and (refractive with (index or indicies)) and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:58
S17	238	S16 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:35
S18	118	(star with coupl\$3) and resin and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:54
S19	63	S18 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:55
S20	7403	(star with coupl\$3) or (slab with waveguide) and resin and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:55

S21	175	((star with coupl\$3) or (slab with waveguide)) and resin and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:55
S22	57	S21 not (S16 or S18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:55
S23	715	((star with coupl\$3) or (slab with waveguide)) and (refractive with (index or indicies)) and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:58
S24	54	((star with coupl\$3) or (slab with waveguide)) and (refractive with (index or indicies)) and (transparent with resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:59
S25	30	S24 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:58
S26	619	((star with coupl\$3) or (slab with waveguide)) and (refractive with (index or indicies)) and diffus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:00
S27	170	((star with coupl\$3) or (slab with waveguide)) and (refractive with (index or indicies)) and diffus\$4 and (adhesive or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:04
S28	130	((star with coupl\$3) or (slab with waveguide) or (optical with coupler)) and (refractive with (index or indicies)) and (diffus\$4 with layer) and (adhesive or resin) and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:06


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |


Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( coupler&lt;in&gt;metadata ) &lt;and&gt; ( pmma&lt;in&gt;metadata )"

Your search matched 9 of 1164322 documents.



A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search

( coupler&lt;in&gt;metadata ) &lt;and&gt; ( pmma&lt;in&gt;metadata )



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <p><b>1. Stegeman figures for 3/sup rdl-order optical nonlinearity in hybrid semiconducto Qot-polymer film</b><br/> Lin, Y.; Sargent, E.H.; Lam, W.W.; Rogers, E.S., Sr.; Zhang, J.; Kumacheva, E.; Lasers and Electro-Optics, 2002. CLEO '02. Technical Digest. Summaries of Papers Pt 19-24 May 2002 Page(s):669 - 670 vol.1<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(247 KB)</a> IEEE CNF</p> |
| <input type="checkbox"/> | <p><b>2. Propagating mode analysis and design of waveguide parameters of GI POF for v network use</b><br/> Ohdoko, K.; Ishigure, T.; Koike, Y.; Photonics Technology Letters, IEEE Volume 17, Issue 1, Jan. 2005 Page(s):79 - 81<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(272 KB)</a> IEEE JNL</p>   |
| <input type="checkbox"/> | <p><b>3. POF-based interconnects for intracomputer applications</b><br/> Wittmann, B.; Johnck, M.; Neyer, A.; Mederer, F.; King, R.; Michalzik, R.; Selected Topics in Quantum Electronics, IEEE Journal of Volume 5, Issue 5, Sept.-Oct. 1999 Page(s):1243 - 1248<br/> <a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(436 KB)</a> IEEE JNL</p>                                |
| <input type="checkbox"/> | <p><b>4. Fabrication of an optical directional coupler of CdTe by electron beam lithograph etching</b><br/> Nishimura, T.; Aritome, H.; Namba, S.; Quantum Electronics, IEEE Journal of Volume 16, Issue 12, Dec 1980 Page(s):1337 - 1340<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(1520 KB)</a> IEEE JNL</p>   |
| <input type="checkbox"/> | <p><b>5. Tunable laser emission from a solid conjugated polymer</b><br/> Wegmann, G.; Giessen, H.; Mahrt, R.F.; Quantum Electronics Conference, 1998. IQEC 98. Technical Digest. Summaries of pag the International 3-8 May 1998 Page(s):136<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(148 KB)</a> IEEE CNF</p>   |
| <input type="checkbox"/> | <p><b>6. New physical layer concepts for optical data buses in automobiles</b><br/> Pofert, S.; Zeeb, E.; Lasers and Electro-Optics Society 1999 12th Annual Meeting. LEOS '99. IEEE</p>   |

Volume 2, 8-11 Nov. 1999 Page(s):822 - 823 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(136 KB) IEEE CNF

- ☐ **7. Direct MT(TM)-compatible connectorisation of VCSEL and LED-arrays to plastic ribbon for low cost parallel datalinks**  
Van Hove, A.; Coosemans, T.; Bockstaele, R.; Vandeputte, K.; Vanwassenhove, L.; De R.; Van Daele, P.; Van Koetsem, J.; Van Den Torren, L.;  
Electronic Components and Technology Conference, 1999. 1999 Proceedings. 49th  
1-4 June 1999 Page(s):1096 - 1102  
[AbstractPlus](#) | Full Text: [PDF](#)(772 KB) IEEE CNF
- ☐ **8. HCS fiber based optical star net for automotive applications**  
Bauerle, R.; Pofert, S.; Seiffert, S.; Zeeb, E.;  
Lasers and Electro-Optics Society 2000 Annual Meeting. LEOS 2000. 13th Annual Meeting  
Volume 2, 13-16 Nov. 2000 Page(s):496 - 497 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(116 KB) IEEE CNF
- ☐ **9. End fired operation of plastic distributed feedback dye laser**  
Tanaka, K.; Abe, A.; Tanaka, M.; Oki, Y.; Maeda, M.;  
Lasers and Electro-Optics, 2003. CLEO/Pacific Rim 2003. The 5th Pacific Rim Conference  
Volume 2, 15-19 Dec. 2003 Page(s):705 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(190 KB) IEEE CNF

[View Selected Items](#)

indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE – All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "( star coupler&lt;in&gt;metadata ) &lt;and&gt; ( adhesive&lt;in&gt;metadata )"



Your search matched 1 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**Modify Search**☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract

- ☐
- 1. New biconically tapered fiber star coupler fabricated by indirect heating method**  
Imoto, K.; Maeda, M.; Kunugiyama, H.; Shiota, T.;  
Lightwave Technology, Journal of  
Volume 5, Issue 5, May 1987 Page(s):694 - 699  
[AbstractPlus](#) | [Full Text: PDF\(1808 KB\)](#) **IEEE JNL**

[View Selected Items](#)indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( star coupler&lt;in&gt;metadata ) &lt;and&gt; ( gap&lt;in&gt;metadata )"

Your search matched 3 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

( star coupler&lt;in&gt;metadata ) &lt;and&gt; ( gap&lt;in&gt;metadata )

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## Select Article Information

- ☐ 1. **A robust fiber optic active star coupler for the SAE linear token-passing multiple:**  
Uhlhorn, R.W.;  
Aerospace and Electronic Systems Magazine, IEEE  
Volume 4, Issue 1, Jan. 1989 Page(s):3 - 11  
[AbstractPlus](#) | Full Text: [PDF](#)(1160 KB) IEEE JNL
- ☐ 2. **Wavelength reuse for efficient packet-switched transport in an AWG-based metro:**  
Scheutzw, M.; Maier, M.; Reisslein, M.; Wolisz, A.;  
Lightwave Technology, Journal of  
Volume 21, Issue 6, June 2003 Page(s):1435 - 1455  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1391 KB) IEEE JNL
- ☐ 3. **Integrated photonic wavelength router comprising a star coupler and acousto-optic:**  
Okayama, H.; Kawahara, M.;  
Electronics Letters  
Volume 31, Issue 1, 5 Jan. 1995 Page(s):55 - 56  
[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IEEE JNL

[View Selected Items](#)indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "( coupler&lt;in&gt;metadata ) &lt;and&gt; ( resin&lt;in&gt;metadata )"

Your search matched 24 of 1164322 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**Modify Search**

( coupler&lt;in&gt;metadata ) &lt;and&gt; ( resin&lt;in&gt;metadata )

☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract**Select Article Information**

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>1. A molded polymeric resin-filled coupler</b><br>Grimes, G.J.; Blyler, L.L., Jr.; Lien, R.M.; Ysebaert, E.;<br>Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [see also<br>Components, Packaging, and Manufacturing Technology, Part A, B, C]<br>Volume 15, Issue 4, Aug. 1992 Page(s):505 - 509<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (532 KB) IEEE JNL               |
| <input type="checkbox"/> | <b>2. Polymeric optical mixing rod coupler</b><br>Blyler, L.L., Jr.; Grimes, G.J.;<br>Electronic Components Conference, 1989. Proceedings., 39th<br>22-24 May 1989 Page(s):490 - 493<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (180 KB) IEEE CNF  |
| <input type="checkbox"/> | <b>3. Mode mixing and polarization scrambling microparticles in polymeric resin filled</b><br>Grimes, G.J.; Blyler, L.L., Jr.;<br>Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [see also<br>Components, Packaging, and Manufacturing Technology, Part A, B, C]<br>Volume 16, Issue 3, May 1993 Page(s):266 - 271<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (528 KB) IEEE JNL |
| <input type="checkbox"/> | <b>4. Polymeric optical waveguide circuits formed using silicone resin</b><br>Watanabe, T.; Ooba, N.; Hayashida, S.; Kurihara, T.; Imamura, S.;<br>Lightwave Technology, Journal of<br>Volume 16, Issue 6, June 1998 Page(s):1049 - 1055<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF</a> (168 KB) IEEE JNL   |
| <input type="checkbox"/> | <b>5. A molded polymeric resin-filled coupler</b><br>Blyler, L.L., Jr.; Grimes, G.J.; Lien, R.M.; Ysebaert, E.;<br>Electronic Components and Technology Conference, 1991. Proceedings., 41st<br>11-16 May 1991 Page(s):38 - 43<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (460 KB) IEEE CNF  |
| <input type="checkbox"/> | <b>6. Low-loss and stable fiber-to-waveguide connection utilizing UV curable adhesive</b><br>Yamada, Y.; Hanawa, F.; Kitoh, T.; Maruno, T.;<br>Photonics Technology Letters, IEEE<br>Volume 4, Issue 8, Aug. 1992 Page(s):906 - 908<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (252 KB) IEEE JNL   |



- ☐ **7. Practical implementation of ultrawideband partial discharge detectors**  
Stone, G.C.; Sedding, H.G.; Fujimoto, N.; Braun, J.M.;  
Electrical Insulation, IEEE Transactions on [see also Dielectrics and Electrical Insulation Transactions on]  
Volume 27, Issue 1, Feb. 1992 Page(s):70 - 81  
[AbstractPlus](#) | Full Text: [PDF\(908 KB\)](#) IEEE JNL
- ☐ **8. Polymeric optical mixing rod coupler**  
Blyler, L.L., Jr.; Grimes, G.J.;  
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [see also Components, Packaging, and Manufacturing Technology, Part A, B, C]  
Volume 13, Issue 1, March 1990 Page(s):144 - 146  
[AbstractPlus](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL
- ☐ **9. Development of a portable diagnostic apparatus for coil insulators in low-voltage motors**  
Takezawa, Y.; Itoh, Y.; Shimodera, M.; Miya, H.;  
Dielectrics and Electrical Insulation, IEEE Transactions on [see also Electrical Insulation Transactions on]  
Volume 5, Issue 2, April 1998 Page(s):290 - 295  
[AbstractPlus](#) | Full Text: [PDF\(540 KB\)](#) IEEE JNL
- ☐ **10. Fused coupler switch using a thermo-optic cladding**  
Diemeer, M.B.J.; De Vries, W.J.; Benoist, K.W.;  
Electronics Letters  
Volume 24, Issue 8, 14 April 1988 Page(s):457 - 458  
[AbstractPlus](#) | Full Text: [PDF\(232 KB\)](#) IEEE JNL
- ☐ **11. Polymeric resin-filled optical couplers with mode mixing and polarization scrambling microparticles**  
Grimes, G.J.; Blyler, L.L., Jr.;  
Electronic Components and Technology Conference, 1992. Proceedings., 42nd  
18-20 May 1992 Page(s):652 - 660  
[AbstractPlus](#) | Full Text: [PDF\(580 KB\)](#) IEEE CNF
- ☐ **12. Self-written waveguide structure in photosensitive polyimide resin fabricated by thermosetting process**  
Yamashita, K.; Hashimoto, T.; Oe, K.; Mune, K.; Naitou, R.; Mochizuki, A.;  
Photonics Technology Letters, IEEE  
Volume 16, Issue 3, March 2004 Page(s):801 - 803  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(112 KB\)](#) IEEE JNL
- ☐ **13. Lensed plastic optical fiber employing concave end filled with high-index resin**  
Sakata, H.; Imada, A.;  
Lightwave Technology, Journal of  
Volume 20, Issue 4, April 2002 Page(s):638 - 642  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(310 KB\)](#) IEEE JNL
- ☐ **14. Plastic split alignment sleeves for single-mode fiber connection of MU- and SC-type**  
Shuto, Y.; Yanagi, S.; Ohno, M.; Sato, H.; Amano, M.; Iwano, S.; Sumida, S.; Tohno, S  
Photonics Technology Letters, IEEE  
Volume 13, Issue 3, Mar 2001 Page(s):218 - 220  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(52 KB\)](#) IEEE JNL
- ☐ **15. Optical characteristics and reliability of plastic split alignment sleeves for single-fiber connectors**

Shuto, Y.; Sato, H.; Yanagi, S.; Ohno, M.; Tohno, S.;  
Selected Topics in Quantum Electronics, IEEE Journal of  
Volume 5, Issue 5, Sept.-Oct. 1999 Page(s):1418 - 1425

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(252 KB) IEEE JNL

- ☐ 16. **Low-loss, single-mode, organic polymer waveguides utilizing refractive index tailoring**  
Phelps, C.W.; Barry, T.S.; Rode, D.L.; Krchnavek, R.R.;  
Lightwave Technology, Journal of  
Volume 15, Issue 10, Oct. 1997 Page(s):1900 - 1905  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(100 KB) IEEE JNL
- ☐ 17. **MIC Packaging Using Conductive Epoxy and Numerically Controlled Drill Technology**  
Palermo, C.; Hartman, J.;  
Parts, Hybrids, and Packaging, IEEE Transactions on  
Volume 11, Issue 2, Jun 1975 Page(s):157 - 158  
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE JNL
- ☐ 18. **Fabrication of fiber collimate lens with liquid resin droplet**  
Jitsuno, T.; Tokumura, K.;  
Optical Fiber Communication Conference, 2004. OFC 2004  
Volume 1, 23-27 Feb. 2004  
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF
- ☐ 19. **A stable laser module with UV-curable resin for single-mode subscriber use**  
Suzuki, M.; Nakanishi, T.; Tsuzuki, N.; Murata, N.;  
Electronic Components and Technology Conference, 1990. Proceedings., 40th  
20-23 May 1990 Page(s):200 - 205 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF
- ☐ 20. **Contribution of butt-joint connectors and lens connectors to the radiation induced degradation of fibre cables at 1300 nm wavelength**  
Henschel, H.; Kohn, O.; Schmidt, H.U.; Rittich, D.;  
Radiation and its Effects on Devices and Systems, 1991. RADECS 91., First European  
9-12 Sept. 1991 Page(s):401 - 403  
[AbstractPlus](#) | Full Text: [PDF](#)(196 KB) IEEE CNF
- ☐ 21. **Novel compact dual-channel all-fiber Bragg grating multiplexer**  
Sauer, M.; Baumann, I.; Seifert, J.; Nowak, W.;  
Optical Fiber Communication. OFC 97., Conference on  
16-21 Feb. 1997 Page(s):283 - 284  
[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF
- ☐ 22. **Non-destructive optical diagnosis of thermal deterioration for coil insulator in low voltage induction motors**  
Takezawa, Y.; Itoh, Y.; Shimodera, M.; Miya, H.;  
Electrical Insulation, 1998. Conference Record of the 1998 IEEE International Symposium on  
Volume 1, 7-10 June 1998 Page(s):237 - 240 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF
- ☐ 23. **Injection-molded polish-free 2-ch connectors**  
Katsura, H.; Sakurai, W.; Ohtsuka, K.; Ueda, T.; Kakii, T.;  
Electronic Components and Technology Conference, 1999. 1999 Proceedings. 49th  
1-4 June 1999 Page(s):386 - 391  
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF
- ☐ 24. **Monolithic integration of microfluidic channels and optical waveguides using a photo-curable epoxy**

Ruano, J.M.; Aguirregabiria, M.; Tijero, M.; Arroyo, M.; Garcia, J.; Berganzo, J.; Aramb  
F.J.; Mayora, K.;  
Micro Electro Mechanical Systems, 2004. 17th IEEE International Conference on. (ME  
2004 Page(s):121 - 124

[AbstractPlus](#) | Full Text: [PDF](#)(1491 KB) [IEEE CNF](#)

[View Selected Items](#)

indexed by  
 Inspec





[Help](#) [Contact Us](#) [Privacy &](#)


© Copyright 2005 IEEE –


[Log In](#) [Log Out](#)
[Home](#) [Advanced Search](#) [Search Results](#) [Help Center](#)

There are **33 match(es)** in **13 book(s)** found for **(coupler) AND (resin)**

Refine Results by:


Book	Results	Rank	Date
 <p>Chemical Tradename Dictionary ©1993</p> <p><a href="#">Table of Contents</a></p> <p><a href="#">Ordering Info</a></p>	<ul style="list-style-type: none"> <li>Amizyme to Aztec®</li> <li>* E- to E-Z-Duz-It</li> <li>Plastol® to Pyrovatex®</li> <li>Sonolube to Systol</li> <li>Chemzoline to Cyuram</li> <li>Showing top 5 results - <a href="#">Expand</a> to show all results for this book</li> </ul>	<ul style="list-style-type: none"> <li></li> <li></li> <li></li> <li></li> <li></li> </ul>	
 <p>Encyclopedia of Smart Materials, Volumes 1-2 ©2002</p> <p><a href="#">Table of Contents</a></p> <p><a href="#">Ordering Info</a></p>	<ul style="list-style-type: none"> <li>Intelligent Processing of Composite Materials</li> <li>Fiber Optic Smart Structure Applications</li> </ul>	<ul style="list-style-type: none"> <li></li> <li></li> </ul>	
 <p>Commercial Polymer Blends ©1998</p> <p><a href="#">Table of Contents</a></p> <p><a href="#">Ordering Info</a></p>	<ul style="list-style-type: none"> <li>16.3.5 PA/PEST Blends</li> <li>17.2.3 PEST/PA Blends</li> </ul>	<ul style="list-style-type: none"> <li></li> <li></li> </ul>	
 <p>ANTEC 1997 Plastics: Plastics Saving Planet Earth, Volume 1: Processing ©1997</p> <p><a href="#">Table of Contents</a></p> <p><a href="#">Ordering Info</a></p>	<ul style="list-style-type: none"> <li>Composite Coupler for Horizontal Boring Applications (659)</li> </ul>	<ul style="list-style-type: none"> <li></li> </ul>	



- 5.4 Repair Materials
- 5.6 Reinforcement Repairs

 **Ordering Info**


**Copyright © 2004 Knovel Corporation**

[Log In](#) [Log Out](#)[Home](#) [Advanced Search](#) [Search Results](#) [Help Center](#)There are **33 match(es)** in **13 book(s)** found for **(coupler) AND (resin)**Refine Results by: **Book****Results****Rank Data**

Textile Finishing  
Chemicals - An  
Industrial Guide  
©1990

- ⊕ Special Purpose Products
- ⊕ Scouring Agents and Tipping Solutions

⊕  
⊕

[Table of Contents](#)[Ordering Info](#)

Optical Sensors and  
Microsystems - New  
Concepts, Materials,  
Technologies  
©2000

- ⊕ 2. Optical Fibers for Monitoring the Effects of Temperature on Picture Varnishes

⊕

[Table of Contents](#)[Ordering Info](#)

ANTEC 2003  
Plastics: Annual  
Technical  
Conference,  
Volume 2:  
Materials  
©2003

- ⊕ Orientation and Property Correlation on LLDPE Blown Films

⊕

[Table of Contents](#)[Ordering Info](#)

ANTEC 2003  
Plastics: Annual  
Technical  
Conference,  
Volume 1:  
Processing  
©2003

- ⊕ Low-Coherence Interferometry Applied to Uniaxial Elongational Rheometry

⊕

[Table of Contents](#)[Ordering Info](#)



Environmental  
Contaminant  
Reference Databook,  
Volumes 1-3  
©1998



⊕ 1,3-benzenediamine






⊕ [Table of Contents](#)

⊕ [Ordering Info](#)

Result Pages: [[<< Prev](#)] [1](#) [2](#) [3](#) [[Next >>](#)]

Copyright © 2004 Knovel Corporation

[Log In](#) [Log Out](#)[Home](#) [Advanced Search](#) [Search Results](#) [Help Center](#)There are **33 match(es)** in **13 book(s)** found for **(coupler) AND (resin)**Refine Results by: 

Book	Results	Rank Dat
 <a href="#">Table of Contents</a> <a href="#">Ordering Info</a>	<a href="#">+</a> Polymer Blends of PA6 and PPE Compatibilized by a Multifunctional Epoxy Coupler (59)	<a href="#">-</a>
 <a href="#">Table of Contents</a> <a href="#">Ordering Info</a>	<a href="#">+</a> The Relative Influences of Process and Resin Time-Scales on the MD Tear Strength of Polyethylene Blown Films (131)	<a href="#">-</a>
 <a href="#">Table of Contents</a> <a href="#">Ordering Info</a>	<a href="#">+</a> Electrofusion Welding - Chapter 11	<a href="#">-</a>

Result Pages: [[<< Prev](#)] [1](#) [2](#) [3](#)

Copyright © 2004 Knovel Corporation



IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secure

**Search**[Full Text](#)[Concept](#)[Document ID](#)[Recent Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**Fingerprint Lookup**[Lookup](#)

Displaying records #1 through 10 out of 25

Result # 1 Relevance: 000000

**PREVIEW**  
This document**Silver halide photographic light-sensitive material**

12-Sep-2000

IPCOM000001417D

English

The present invention offers a silver halide photographic light-sensitive material which is excellent in dye image storage stability, which little change in the photographic performance thereof between i completion of continuous processing, which has ...

Result # 2 Relevance: 000000

**PREVIEW**  
This document**Silver halide color photographic material**

12-Sep-2000

IPCOM000000042D

English

A two-equivalent cyan dye forming coupler represented by the (I) substituted with at least one substituent represented by gen (II), having substituents as defined in the specification. This co excellent color forming properties and good ...

Result # 3 Relevance: 000000

**PREVIEW**  
This document**Method for processing a silver halide photographic**

12-Sep-2000

IPCOM000000785D

English

A novel method for processing a silver halide color photographic process comprises imagewise exposing a silver halide color pho sensitive material to light, color-developing the light-sensitive n then desilvering the light-sensitive ...

Result # 4 Relevance: 000000

**PREVIEW**  
This document**Silver halide color photographic light-sensitive ma**

12-Sep-2000

IPCOM000000122D

English

A silver halide color photographic light-sensitive material which support having thereon at least one silver halide emulsion layer dispersed therein at least one magenta coupler represented by general formula (I): ##STR1## wherein R.sup.1 ...

Result # 5 Relevance: 000000

**PREVIEW**  
This document**Method of forming a color image**

12-Sep-2000

IPCOM000000529D

English

A method of forming a color image comprising developing an in exposed silver halide color photographic material with a develop containing an aromatic primary amine developing agent in the least one coupler represented by the following ...

Result # 6 Relevance: 000000

**PREVIEW**  
This document**Silver halide color photographic materials**

12-Sep-2000

IPCOM000001240D

English

A Silver halide color photographic materials comprising a suppo thereon at least one silver halide emulsion layer, wherein said r contains (1) at least one type of compound which reacts with th product of a primary aromatic amine based developing ...

Result # 7    Relevance: **PREVIEW**  
click to download**Silver halide color photographic material**

12-Sep-2000

IPCOM000000825D

English

A novel silver halide color photographic material containing a de  
accelerator releasing compound, which comprises at least one li  
silver halide emulsion layer on a support, wherein at least one c  
layer and a non-light sensitive ...

Result # 8    Relevance: **PREVIEW**  
click to download**Direct positive color photographic materials**

12-Sep-2000

IPCOM000000967D

English

A direct positive color photosensitive material comprising an int  
image silver halide emulsion layer which has not been prefogge  
image-forming magenta coupler of formula (I) and a nucleation  
formulae (II) and/or (III): ##STR1## wherein Za ...

Result # 9    Relevance: **PREVIEW**  
click to download**Directional Coupler**

1969-05-01

IPCOM000090604D

English

In drawing 1, CPU 10 is coupled to a number of storage units 1:  
series of like directional couplers 12 terminated by terminating  
Each coupler 12 consists of a two-core coaxial cable 14 one cor  
receives an input from CPU 10 and transmits the ...

Result # 10    Relevance: **PREVIEW**  
click to download**Silver halide light-sensitive photographic material**

12-Sep-2000

IPCOM000001437D

English

A silver halide light-sensitive photographic material is disclosed.  
photographic material comprises a support and a blue-sensitive  
emulsion layer. The blue sensitive emulsion layer comprises a n  
least two kinds of silver halide emulsions each ...

Displaying page 1 of 3    < BACK | [NEXT >](#)

Search query: coupler AND resin

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |

IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secure

**Search**[Full Text](#)[Concept](#)[Document ID](#)[Recent Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**Fingerprint Lookup**[Lookup](#)

Displaying records #11 through 20 out of 25

Result # 11 Relevance:

**PREVIEW**  
this document**Direct positive photographic material**

12-Sep-2000

IPCOM000001114D

English

Disclosed is a direct positive photographic material having an independent storage stability. The material comprises a support having at least one photographic emulsion layer containing previously internal latent image type silver halide grains ...

Result # 12 Relevance:

**PREVIEW**  
this document**Silver halide color photosensitive material**

12-Sep-2000

IPCOM000001528D

English

A silver halide color photosensitive material is provided, comprising a transparent support having a thickness of not more than 120 μm provided thereon photosensitive layers, wherein at least one of the photosensitive layers contains a silver halide emulsion containing

Result # 13 Relevance:

**PREVIEW**  
this document**Method for processing silver halide color photographic material**

12-Sep-2000

IPCOM000000804D

English

A method for processing a silver halide color photographic material comprising at least one pyrazoloazole magenta coupler represented by general formula (I), which comprises processing the light-sensitive material, after exposure, with a color developer containing ...

Result # 14 Relevance:

**PREVIEW**  
this document**Method for processing silver halide color photographic material**

12-Sep-2000

IPCOM000000948D

English

A method for processing a silver halide color photographic material comprises the steps of, after color-developing, processing the silver halide color photographic material with a bleaching bath, and then processing with a fixing bath, wherein the bleaching bath has a ...

Result # 15 Relevance:

**PREVIEW**  
this document**Moisture Resistant Diazo Films**

1972-07-01

IPCOM000077288D

English

Semitransparent diazo photomasks employing acrylic esters are resistant to moisture degradation.

Result # 16 Relevance:

**PREVIEW**  
this document**Silver halide photographic light-sensitive material**

12-Sep-2000

IPCOM000001087D

English

A silver halide photographic light-sensitive material is disclosed comprising a halide emulsion layer of the light-sensitive material is sensitized in the blue-violet region of the spectrum by a cationic di- or tri-carbocyanine sensitizer represented by formula ...

---

Result # 17    Relevance: **PREVIEW**  
click to download**Semitransparent Mask for Integrated Circuit Produ**

1972-03-01

IPCOM000076446D

English

Masks suitable for fabrication of integrated circuits may be made by a reaction of a diazonium salt with a formaldehyde derivative polymer such as novolak or resole, to form the mask image. A solution of the polymer-diazo salt is applied to a glass plate by ...

---

Result # 18    Relevance: **PREVIEW**  
click to download**Image-forming process**

12-Sep-2000

IPCOM000001489D

English

An image-forming process for silver halide photographic material in which the photosensitive material has at least one silver halide layer on a support and contains a hydrazine compound in the emulsion and other constitutional layers. The ...

---

Result # 19    Relevance: **PREVIEW**  
click to download**Light-sensitive silver halide photographic material**

12-Sep-2000

IPCOM000001086D

English

There is disclosed a light-sensitive silver halide photographic material which comprises, in a light-sensitive silver halide photographic material, a coating at least one layer of hydrophilic colloidal layer including silver halide photographic ...

---

Result # 20    Relevance: **PREVIEW**  
click to download**The use of UV filters in cosmetic and pharmaceutical sunscreen formulations**

09-Apr-2002

IPCOM000007599D

English

UV-B and UV-A radiations have acute, delayed and long term effects on skin and hair. The use of UV absorbers can effectively protect skin and natural and dyed hair from the damaging rays of the sun. It has been found that certain triazine derivatives provide ...

---

**Displaying page 2 of 3**    [< BACK](#) | [NEXT >](#)

---

**Search query:** coupler AND resin[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |

IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secure

**Search**[Full Text](#)[Concept](#)[Document ID](#)[Recent Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**Fingerprint Lookup**[Lookup](#)

Displaying records #21 through 25 out of 25

Result # 21    Relevance:

**PREVIEW**  
this document**Copolymers and their use in personal care composi**

20-Sep-2002

IPCOM000009829D

English (

The subject of the present disclosure are optionally cross-linked derived from the polymerization of at least one cationic monom least one non-ionic monomer. These copolymers are used as th personal care compositions.

Result # 22    Relevance:

**PREVIEW**  
this document**Stabilized Body Care Products, Household Products And Fabrics**

05-Nov-2003

IPCOM000020242D

English

Disclosed are stabilized body care products, household products fabrics which comprise certain hindered nitroxyl, hydroxylamine hydroxylamine salt compounds. Dyed products and articles are stabilized against color degradation. The products ...

Result # 23    Relevance:

**PREVIEW**  
this document**Amino substituted hydroxyphenyl benzophenone d**

04-Aug-2003

IPCOM000018721D

English (

Described are amino substituted hydroxyphenyl benzophenone The compounds are useful as UV filters in sunscreen application

Result # 24    Relevance:

**PREVIEW**  
this document**MODULAR VEHICLE CONSTRUCTION**

11-Nov-2003

IPCOM000020299D

English

The present invention relates to modular vehicle construction a to a first embodiment having a clam shell-like arrangement in v belt-line-up structure is pre-assembled for shipment to an OEM assembly of the clam shell, ...

Result # 25    Relevance:

**PREVIEW**  
this document**Merocyanine derivatives for cosmetic use**

04-Mar-2004

IPCOM000022279D

English

Cosmetic or pharmaceutical compositions comprise a merocyan as sunscreen to protect human and animal hair and skin from U example, delta- aminopentadienoate derivatives or [3-Amino-c enylidene]- acetic acid ester compounds are used in ...

Displaying page 3 of 3    &lt; BACK | NEXT &gt;

Search query: coupler AND resin

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |



IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secure

## Search

Full Text

Concept

Document ID

Recent Disclosures

## Publish

Publish Disclosure

## My IP.com

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

## Fingerprint Lookup

Lookup

Displaying records #1 through 10 out of 23

Result # 1 Relevance: 000000



PREVIEW  
this document

### Active Optical Star Computer

1991-02-01

IPCOM000119627D

English

In a wavelength division multiplexed network where an optical : used to distribute the channels, each at a different wavelength, users, an ideal optical star coupler will introduce a 1/N power sp process of broadcasting each input signal ...

Result # 2 Relevance: 000000



PREVIEW  
this document

### Synchronization of a Fiber-Optic Star Coupled Netw

1990-08-01

IPCOM000101763D

English

Disclosed is a method for bit and byte synchronization on a high half duplex multiported fiber-optic network. This is a method by string of intelligible data in the form of bits is wrapped back to t the data for verification, with a delay ...

Result # 3 Relevance: 000000



PREVIEW  
this document

### Means for Building a Star Coupler Within a Fused F

1990-04-01

IPCOM000100425D

English

This article describes how to build a high-density optical star co technology developed for fused fiber plates. An optical star cou that mixes optical energy coming into ports so that each of N or carries 1/Nth of the energy of each ...

Result # 4 Relevance: 000000



PREVIEW  
this document

### Improved Means for Implementing Optical Interco for Parallel Processors

1991-04-01

IPCOM000120221D

English

This article describes an efficient method for using a broadband communication network to interconnect parallel processors and Parallel computer interconnections have traditionally been made means. Among the techniques commonly used are a bus, ...

Result # 5 Relevance: 000000



PREVIEW  
this document

### Low-Loss Architecture for Wavelength Division Mu Networks

1989-09-01

IPCOM000036414D

English

The present article discloses a fiber-optic wavelength division m (WDMA) network architecture without a splitting loss at the hub

Result # 6 Relevance: 000000



PREVIEW  
this document

### Wavelength Division Multiaccess Network Using Cc Centralization, Local Oscillator Injection Locking a Homodyne Detection

1988-02-01

IPCOM000056935D

English

In a centralized wavelength division multiaccess network, local copies of unmodulated carries are available. This invention take

this availability by locking the local oscillator using homodyne c  
reception, thereby improving detectability and ...

---

Result # 7      Relevance: 



**PREVIEW**  
this document

**A Method to Improve the Utilization of Optical Star**

1990-07-01

IPCOM000103186D

English

Disclosed is an efficient medium access protocol for a passive o  
utilizes two wavelengths, one for data transfer and the other fo  
station is equipped with a transmitter and receiver for each wa  
two wavelengths of light from the ...

---

Result # 8      Relevance: 



**PREVIEW**  
this document

**Means for Implementing Optical Interconnections  
Processors**

1991-04-01

IPCOM000120220D

English

This description shows a how a broadband optical communicati  
be used to interconnect parallel processors and memories. A m  
for interconnections made from electrical conductors is that one  
cannot carry independent transmissions ...

---

Result # 9      Relevance: 



**PREVIEW**  
this document

**Passive Optical Star With WDM Couplers for Hybrid  
Control and Overflow Prevention**

1989-09-01

IPCOM000036450D

English

This article describes a hybrid access control for a slotted passiv

---

Result # 10      Relevance: 



**PREVIEW**  
this document

**Passive Optical Star With a Tunable Receiver for H  
Control and Overflow Prevention**

1989-09-01

IPCOM000036398D

English

This article describes a hybrid access control for a slotted passiv  
Each node uses a tunable receiver and two fixed-wavelength tr  
realizing the following control functions: (i) hybrid (random/res  
access control with collision resolution ...

---

Displaying page 1 of 3    < BACK | [NEXT](#) >

Search query: star AND coupler

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |

IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secu

**Search**

Full Text

Concept

Document ID

Recent Disclosures

**Publish**

Publish Disclosure

**My IP.com**

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

**Fingerprint Lookup**

Lookup

Displaying records #11 through 20 out of 23

Result # 11 Relevance: ○○○○○○

**PREVIEW**  
This document**Holographic Coupler Devices for Fiber-Optic Netwo**

1990-11-01

IPCOM000102287D

Englis

Disclosed is a holographic approach for implementing Nx1 (1xN) for fiber-optic networks. This design does not require more combinations of many 3 dB couplers. With proper arrangements, holographic coupler devices may be used to implement ...

Result # 12 Relevance: ○○○○○○

**PREVIEW**  
This document**Method of Avoiding Tunable Lasers in a Coherent V Division Multiaccess Network**

1989-09-01

IPCOM000036415D

Englis

Wavelength Division Multiaccess Network In a centralized wavel multiaccess network, tunable optical filters are used to feed eac receiver with the desired transmitter's combined sum of a stron light plus its weaker modulated signal, so as ...

Result # 13 Relevance: ○○○○○○

**PREVIEW**  
This document**Performance Enhancement Via Multiple Logical Sul An Optical Passive Star Network**

1990-08-01

IPCOM000101380D

Englis

Disclosed is a method to enhance the performance of an optical computer network where a large number of stations are interco through a single optical star coupler. The method divides the ne multiple logical subnetworks by the use of multiple ...

Result # 14 Relevance: ○○○○○○

**PREVIEW**  
This document**Multichannel Optical Network Using Optical Subcar Multiplexing**

1991-02-01

IPCOM000119630D

Englis

This article describes a method for constructing multiple-access based on optical subcarrier multiplexing. The method divides th bandwidth of the communication medium among multiple trans subchannels.

Result # 15 Relevance: ○○○○○○

**PREVIEW**  
This document**Channel Access Protocol for Multi-Wavelength Fibe Network**

1990-03-01

IPCOM000100286D

Englis

The network under consideration is a multi-channel fiber-optic r area network (MAN). The channels are realized by using wavele multi-access (WDMA), as shown in Fig. 1. Each transmitter is p two lasers, one of them at a wavelength unique ...

Result # 16 Relevance: ○○○○○○

**Nonsymmetric Optical Star Coupler**

1980-09-01

IPCOM000055922D

Englis





Optical fibers having a given numerical aperture may be efficient optical fibers having a different numerical aperture by using a rod or tube which matches numerical apertures. This also permits numerical aperture fibers to be larger ...

---

Result # 17      Relevance:



**Subcarrier Encoded Wavelength Division Multiplexing With Full Connectivity**

1991-07-01      IPCOM000121069D      English

The combination of wavelength division multiplexing (WDM), multi-subcarrier multiplexing (SCM) [1], and fiber technology offers a capability of optical linking of a few hundred channels in a metropolitan computer network or local-area network. In ...

---

Result # 18      Relevance:



**Adaptive Slotted Bus Metropolitan Area Network Protocol**

1989-10-01      IPCOM000036776D      English

The large distances between stations on a Metropolitan Area Network result in large propagation delays (.25 msec) between stations. A protocol under these conditions would not provide an efficient approach to the long times required to resolve collisions ...

---

Result # 19      Relevance:



**A Low Cost Dynamic Erasable Optical Switch**

1993-07-01      IPCOM000105398D      English

Disclosed here is a low cost dynamically erasable optical switch for use in wavelength division multiaccess networks. The proposed scheme involves optical pumping of Erbium 3 sup + doped glass planar waveguide to the propagating signal from the input ...

---

Result # 20      Relevance:



**Means of Implementing a Parallel Processing Barrier in an Optical Interconnection Network**

1990-06-01      IPCOM000101047D      English

Disclosed is a technique for utilizing the broadcast properties of optical connections to implement a barrier synchronization operation for computers.

---

Displaying page 2 of 3    < [BACK](#) | [NEXT](#) >

**Search query:** star AND coupler

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |

IP.com  
PriorArtDatabase

May 24, 2005

USPTO

Secure

**Search**[Full Text](#)[Concept](#)[Document ID](#)[Recent Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**Fingerprint Lookup**  
[Lookup](#)

Displaying records #21 through 23 out of 23

Result # 21    Relevance:

**PREVIEW**  
this document**Method of Setting Tunable Optical Filters in a Wave Division Multiaccess System**

1989-04-01

IPCOM000034782D

English

In order to select and receive only one of a large number of signals a receiver on the same optical fiber but at different wavelengths, an optical filter is swept unidirectionally across the band occupied by the transmissions and freezes on the proper one, ...

Result # 22    Relevance:

**PREVIEW**  
this document**Mode-Locked Laser for Wavelength Division Multi-Access Network**

1989-04-01

IPCOM000034724D

English

A technique is described whereby a mode-locked laser for wave division multi-access networks generates the desired spectral comb of wavelengths in one operation. The concept simplifies previously described central wavelength division multi-access networking by ...

Result # 23    Relevance:

**PREVIEW**  
this document**Method for Interconnecting Present And Future Optical Networks Via Switches**

1990-05-01

IPCOM000100729D

English

Disclosed is a method for interconnecting fiber-optic computer networks and switches. Computer networks are conventionally interconnected by routers or bridges which provide the functions of routing, protocol conversion, control, and buffering. The disclosed method ...

Displaying page 3 of 3    [< BACK](#) | [NEXT >](#)**Search query:** star AND coupler[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |


[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [sig](#)
[SPIE Digital Library](#)
[Proceedings](#)
[Journals](#)

SPIE—The International  
Society for Optical Engineering

[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Article](#)
[Home](#) » [Advanced Search](#) » Search Results

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)
☒ Digital SPIE Papers

☐ All SPIE Papers

[Advanced Search](#)

BROWSE PROCEEDINGS

☒ Proceedings

☐ By Year

☐ By Symposium

☐ By Volume No.

☐ By Volume Title

☐ By Technology

BROWSE JOURNALS

☒ Journals

☐ Optical Engineering

☐ J. Electronic Imaging

☐ J. Biomedical Optics

☐ J. Microlithography,  
Microfabrication,  
and Microsystems
SUBSCRIPTIONS &  
PRICING
☒ Institutions &  
Corporations

☒ Personal  
subscriptions

GENERAL INFORMATION

☒ About the Digital  
Library

☒ Terms of Use

☒ SPIE Home

## Search Results

**You were searching for : (star coupler)**

You found 41 out of 186992 (41 returned)

Documents 1 - 25 listed on this page

*Refine your query if desired:*



### Results Sorting Options






Adding to MyArticles will open a second window (Scitation login required).

[\[ Related SPIE Products \]](#)
[\[ 1 | 2 | Next 25 \]](#)

89%

1. ☐
**Novel transmissive-reflective star coupler for bidirectional networks**

Chaoqin Gan, Mingde Zhang, and Xiaohan Sun

 Proc. SPIE Int. Soc. Opt. Eng. **4604**, 130 (2001) PDF (41 kB)

85%

2. ☐
**Waveguide hologram star couplers**

H. John Caulfield, R. Barry Johnson, and Qiang Huang

 Proc. SPIE Int. Soc. Opt. Eng. **1555**, 154 (1991) PDF (102 kB)

83%

3. ☐
**In-line fiber optic polarimeter using a fused 1 x 5 star coupler**

Shing M. Lee, Wei P. Pan, and Changjie Yang

 Proc. SPIE Int. Soc. Opt. Eng. **2839**, 133 (1996) PDF (469 kB)

81%

4. ☐
**Optical interconnection and clock distribution via a multi-channel star coupler**

Silvano Donati, Giuseppe Martini, and Francesco Francese

 Proc. SPIE Int. Soc. Opt. Eng. **1849**, 54 (1993) PDF (444 kB)

81%

5. ☐
**Plastic star coupler**

Hayato Yuuki, Takeharu Ito, and Tetsuo Sugimoto

 Proc. SPIE Int. Soc. Opt. Eng. **1592**, 2 (1991) PDF (855 kB)

- 79%**      6. ☐ **Distributed fiber optic white light interferometric strain sensor array with a 3 x 3 star coupler**  
Libo Yuan and Jun Yang  
Proc. SPIE Int. Soc. Opt. Eng. **5634**, 260 (2005)   PDF (127 kB)
- 79%**      7. ☐ **Investigations on 4x4 polymer couplers for airborne environment**  
Thomas Klotzbuecher, M. Sprzagala, Anne Koch, and Ulrich Teub  
Proc. SPIE Int. Soc. Opt. Eng. **5465**, 68 (2004)   PDF (560 kB)
- 79%**      8. ☐ **Manufacturing microcomponents for optical information technology using the LIGA technique**  
Hans-Dieter Bauer, Wolfgang Ehrfeld, Jens Hossfeld, and Thomas Paatzsch  
Proc. SPIE Int. Soc. Opt. Eng. **3739**, 224 (1999)   PDF (418 kB)
- 79%**      9. ☐ **Passband-flattened arrayed-waveguide grating design using aspheric output star coupler**  
Michael C. Parker, Farsheed Farjady, and Stuart D. Walker  
Proc. SPIE Int. Soc. Opt. Eng. **3491**, 80 (1998)   PDF (143 kB)
- 79%**      10. ☐ **Design and fabrication of 16x16 ion-exchanged glass waveguide star couplers**  
Wei J. Wang, Ezio Berolo, and H. R. Khazaei  
Proc. SPIE Int. Soc. Opt. Eng. **3491**, 427 (1998)   PDF (1220 kB)
- 79%**      11. ☐ **New optical star LAN demonstrator based on FDM with an multichannel Ethernet protocol**  
Caroline Brisson, Alain Kueng, P.-A. Nicati, Philippe A. Robert, David Rodellar, and Cristian Bungarzeanu  
Proc. SPIE Int. Soc. Opt. Eng. **3531**, 164 (1998)   PDF (451 kB)
- 79%**      12. ☐ **All-optical LAN architectures based on arrayed waveguide multiplexers**  
Hagen Woesner  
Proc. SPIE Int. Soc. Opt. Eng. **3531**, 158 (1998)   PDF (294 kB)
- 79%**      13. ☐ **Coupling efficiency of an optical star coupler with a holographic branching device**  
Tetsuya Saitoh, Masaki Taguchi, Yoshihisa Uehara, Hideo Shimizu, Yasukazu Sano  
Proc. SPIE Int. Soc. Opt. Eng. **2404**, 266 (1995)   PDF (285 kB)
- 79%**      14. ☐ **Concept of a local integrated operation network for different information flows**  
Anke Schmietainski, Bernd X. Weis, and Heinz Schlesinger  
Proc. SPIE Int. Soc. Opt. Eng. **1975**, 68 (1993)   PDF (692 kB)
- 79%**      15. ☐ **Polymer-based channel waveguide array for large fanout**

**Interconnects**

Robert Shih and Ray T. Chen

Proc. SPIE Int. Soc. Opt. Eng. **1849**, 86 (1993) PDF (405 kB)

- 79%** 16. ☐ **Photonic WDM switch using fixed transmitters and tunable receivers**  
Mario A. Santoro, Kai Y. Eng, Thomas L. Koch, and Julian Stone  
Proc. SPIE Int. Soc. Opt. Eng. **1837**, 218 (1993) PDF (580 kB)
- 79%** 17. ☐ **Graded index polymer channel waveguide array for backplane optical interconnects**  
Robert Shih and Ray T. Chen  
Proc. SPIE Int. Soc. Opt. Eng. **1774**, 97 (1993) PDF (357 kB)
- 77%** 18. ☐ **Power budget analysis of short reach optical communication based on 4x4 polymer clad fiber splitter**  
Sangchul Bae, Yunsong Jeong, Woojin Shin, and Kyunghwan Oh  
Proc. SPIE Int. Soc. Opt. Eng. **5724**, 80 (2005) PDF (702 kB)
- 77%** 19. ☐ **Architectural design and performance analysis of a three-stage optical packet switch**  
Mushi Jin and Oliver W. W. Yang  
Proc. SPIE Int. Soc. Opt. Eng. **5247**, 580 (2003) PDF (108 kB)
- 77%** 20. ☐ **Polymer waveguides for 100-cm (40[quotation mark]) optical backplanes**  
Jorg Moisel, Joachim Guttman, Hans-Peter Huber, Barbara Luntz, Manfred Rode, Reinhold Schoedlbauer, Richard Bogenberger, and A. Norwood  
Proc. SPIE Int. Soc. Opt. Eng. **4805**, 98 (2002) PDF (849 kB)
- 77%** 21. ☐ **Design of flat-field arrayed waveguide grating based on a theory**  
Si Lu, Yingbai Yan, Zhehai Zhou, Guofan Jin, and Edwin Y. B. Pun  
Proc. SPIE Int. Soc. Opt. Eng. **4870**, 548 (2002) PDF (107 kB)
- 77%** 22. ☐ **Proposal of arrayed waveguide optical deflector and waveguide divide optical switch**  
Yasumasa Kawakita, Tatsuya Kihara, Kazunori Miki, and Kazuhiko Shimomura  
Proc. SPIE Int. Soc. Opt. Eng. **4640**, 289 (2002) PDF (615 kB)
- 77%** 23. ☐ **Properties of POF star coupler**  
Chunmin Xia, Chun Yang, Xiaohan Sun, and Mingde Zhang  
Proc. SPIE Int. Soc. Opt. Eng. **4604**, 109 (2001) PDF (80 kB)
- 77%** 24. ☐ **Improving performance of WDM local packet-switching router with single buffer**  
Yong Wang, Hongxi Yin, Anshi Xu, and Deming Wu  
Proc. SPIE Int. Soc. Opt. Eng. **4225**, 58 (2000) PDF (180 kB)

**77%**

25. ☐ **Advanced micromoulding of optical components**  
Hans-Dieter Bauer, Wolfgang Ehrfeld, Thomas Paatzsch, Ingo Sn  
and Lutz Weber  
Proc. SPIE Int. Soc. Opt. Eng. **3878**, 261 (1999) PDF (980 kB)

[ 1 | 2 | Next 25 ]

[home](#) | [proceedings](#) | [journals](#)

[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 – 2005



The International Society  
for Optical Engineering



[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [sig](#)

[SPIE Digital Library](#)

[Proceedings](#)

[Journals](#)

**SPIE—The International  
Society for Optical Engineering**

[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Artic](#)

[Home](#) » [Advanced Search](#) » Search Results

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

☒ Digital SPIE Papers

☐ All SPIE Papers

[Advanced Search](#)

BROWSE PROCEEDINGS

☒ Proceedings

☐ By Year

☐ By Symposium

☐ By Volume No.

☐ By Volume Title

☐ By Technology

BROWSE JOURNALS

☒ Journals

☐ Optical Engineering

☐ J. Electronic Imaging

☐ J. Biomedical Optics

☐ J. Microlithography,  
Microfabrication,  
and Microsystems

SUBSCRIPTIONS &  
PRICING

☒ Institutions &  
Corporations

☒ Personal  
subscriptions

GENERAL INFORMATION

☒ About the Digital  
Library

☒ Terms of Use

☒ SPIE Home

## Search Results

**You were searching for : (star coupler)**

You found 41 out of 186992 (41 returned)

Documents 26 - 41 listed on this page

*Refine your query if desired:*

in

*Results Sorting Options*

Adding to MyArticles will open a second window (Scitation login required).

[\[ Related SPIE Products \]](#)

[\[ Previous 25 | 1 | 2 \]](#)

**77%**

26. ☐ **Bit-error-rate analysis of an ultrashort-pulse code-division multiple-access communication system**  
Rajappa Pappanareddy and Andrew M. Weiner  
Proc. SPIE Int. Soc. Opt. Eng. **3666**, 460 (1999) PDF (190 kB)

**77%**

27. ☐ **Polymeric optical MEMS**  
Jens Hossfeld, Thomas Paatzsch, Jens Schulze, Michel Neumeier, Weber, Hans-Dieter Bauer, and Wolfgang Ehrfeld  
Proc. SPIE Int. Soc. Opt. Eng. **3680**, 637 (1999) PDF (3940 kB)

**77%**

28. ☐ **Photoinscribed waveguides, devices, and gratings in polysilicon**  
Tahar Touam, Rahmani Sara, Mark P. Andrews, and S. Iraj Najaf  
Proc. SPIE Int. Soc. Opt. Eng. **3482**, 828 (1998) PDF (2057 kB)

**77%**

29. ☐ **Polyglass integrated photonic devices**  
Rahmani Sara, Tahar Touam, Mark P. Andrews, and S. Iraj Najaf  
Proc. SPIE Int. Soc. Opt. Eng. **3469**, 51 (1998) PDF (1823 kB)

**77%**

30. ☐ **Polymer waveguides for telecom, datacom, and sensor applications**  
Thomas Paatzsch, Ingo Smaglinski, Hans-Dieter Bauer, and Wolf

Ehrfeld

Proc. SPIE Int. Soc. Opt. Eng. **3276**, 16 (1998) PDF (2957 kB)

- 77%** 31. ☐ **Propagation of eigenmodes and transfer functions in wave WDM structures**  
Vladimir A. Mashkov, S. Francoeur, U. Geuss, K. Neiser, and Her Temkin  
Proc. SPIE Int. Soc. Opt. Eng. **3234**, 66 (1998) PDF (1384 kB)
- 77%** 32. ☐ **Terabit-per-second network with spectral-domain modula**  
Hisashi Kobayashi, Paul R. Prucnal, and Warren S. Warren  
Proc. SPIE Int. Soc. Opt. Eng. **3231**, 75 (1997) PDF (592 kB)
- 77%** 33. ☐ **Holographic polarization-selective elements in optical net applications**  
Yang-Tung Huang, Meng-Fu Lin, Jiun-Shjou Deng, Kai-Ting Fan, Jung Chen  
Proc. SPIE Int. Soc. Opt. Eng. **2885**, 112 (1996) PDF (804 kB)
- 77%** 34. ☐ **8x622Mb/s HD-WDM optical fiber transmission over 420 k**  
Fenghai Liu, Shizhong Xie, Chengcheng Sun, Yuxiao Xie, Mingshe Zhang, Jianbing Wang, Xiaohui Yang, Chongcheng Fan, and Bing  
Proc. SPIE Int. Soc. Opt. Eng. **2893**, 143 (1996) PDF (149 kB)
- 77%** 35. ☐ **Holographic optical filters in wavelength-division-multiple systems and their crosstalk performance**  
M. Moulavi-Kakhki and Mohsen Kavehrad  
Proc. SPIE Int. Soc. Opt. Eng. **2024**, 270 (1993) PDF (279 kB)
- 77%** 36. ☐ **Optoelectronic interconnects with holographic optical eler**  
Reinhard Voelkel, M. Heissmeier, Harald Kobolla, Ulrich W. Krack Rosner, Juerg Schmidt, Johannes Schwider, John T. Sheridan, N Streibl, and F. Zobel  
Proc. SPIE Int. Soc. Opt. Eng. **1849**, 104 (1993) PDF (593 kB)
- 77%** 37. ☐ **Laser-written polymeric optical waveguides for integrated device applications**  
Karl W. Beeson, Michael J. McFarland, William A. Pender, Jianhui Chengjiu Wu, and James T. Yardley  
Proc. SPIE Int. Soc. Opt. Eng. **1794**, 397 (1993) PDF (288 kB)
- 77%** 38. ☐ **Amplified distributed reflective optical star couplers using erbium-doped fibers and standard fibers**  
Kuang Y. Chen, Jy-Wang Liaw, and W. Y. Guo  
Proc. SPIE Int. Soc. Opt. Eng. **1817**, 48 (1992) PDF (415 kB)
- 77%** 39. ☐ **Wideband amplified optical power divider with erbium-do amplifier**  
Chien-Yuan Chen, C. H. Kuan, and S. L. Tzeng



Proc. SPIE Int. Soc. Opt. Eng. **1817**, 141 (1992) PDF (416 kB)

- 77%** 40. ☐ **Fabrication of light-guiding devices and fiber-coupling structures by the LIGA process**  
Arnd Rogner and Wolfgang Ehrfeld  
Proc. SPIE Int. Soc. Opt. Eng. **1506**, 80 (1991) PDF (734 kB)
- 77%** 41. ☐ **OPTONET system: present possibilities and future developments**  
Francois X. Desforges and Herve C. Lefevre  
Proc. SPIE Int. Soc. Opt. Eng. **1267**, 116 (1990) PDF (261 kB)

[ Previous 25 | 1 | 2 ]

[home](#) | [proceedings](#) | [journals](#)

[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 - 2005



The International Society  
for Optical Engineering